Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1048	(split$4 separat$3 detach$3 divid$3 segment$3) with (run adj length huffman) with (message packet data string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:45
L2	7	(split$4 separat$3 detach$3 divid$3 segment$3) with (run adj length huffman) with (message packet data) with (compress$4 repetit$3 repeat$3) with (random uncompress$4 noncompress$4 raw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:48
L3	8	(split$4 separat$3 detach$3 divid$3 segment$3) with (run adj length huffman lempel$1ziv) with (message packet data) with (compress$4 repetit$3 repeat$3) with (random uncompress$4 noncompress$4 raw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:25
L4	9	("5534861" | "5572206"). PN. OR ("5640158").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 13:07
L5	8	(split$4 separat$3 detach$3 divid$3 segment$3) with (run adj length huffman lempel$1ziv lz$1"77") with (message packet data) with (compress$4 repetit$3 repeat$3) with (random uncompress$4 noncompress$4 raw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:25
L6	9	("5534861" | "5572206"). PN. OR ("5640158").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 13:27
L7	55	("4021782" | "4464650" | "4701745" | "4730348" | "4906991" | "5016009" | "5046027" | "5155484"). PN. OR ("5572206").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 13:27

L8	49	("4852151" | "4922523" | "4975944" | "4995074" | "5005011" | "5095494" | "5177480" | "5241587" | "5263084" | "5287401" | "5299307" | "5325423" | "5341293" | "5369688" | "5410541" | "5425092" | "5454079" | "5469540" | "5488411" | "5490208" | "5521597" | "5530852" | "5538255" | "5548532" | "5558339" | "5561709" | "5564001" | "5572206" | "5586257" | "5612730" | "5673209" | "5675507" | "5686912").PN. OR ("5838927").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 13:33
L9	23	("3185824" | "3394352" | "4509038").PN. OR ("5177480").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 13:36
L10	16	("5627829" | "5751968" | "5764910" | "5771355" | "5838927" | "5895471" | "5938737" | "5953503" | "5956490" | "6029200" | "6032197" | "6088803" | "6094679" | "6101328").PN. OR ("6345307").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 14:12
L11	45	("4864572" | "5049881" | "5293379" | "5455684" | "5497404" | "5835730" | "5938736").PN. OR ("6032197").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 14:17
L12	16	("5761601" | "5838927" | "5859660" | "5905872" | "5917830" | "5928331" | "5953506" | "6006264" | "6122743" | "6144375" | "6182146" | "6208640" | "6269403" | "6343328" | "6459427" | "6487721").PN. OR ("6704790").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 15:43
L13	1	(US-6819271-$).did.	USPAT	OR	ON	2005/08/24 15:43
L14	1	13 and (client server)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 15:43

L15	88	("20010031092" | "4008460" | "4558302" | "4688108" | "4876541" | "4881075" | "5003307" | "5016009" | "5109226" | "5126739" | "5146221" | "5150430" | "5155484" | "5237460" | "5237675" | "5247638" | "5247646" | "5337275" | "5341339" | "5353024" | "5353425" | "5357614" | "5371499" | "5379036" | "5389922" | "5394534" | "5396343" | "5406278" | "5406279" | "5412429" | "5414425" | "5414850" | "5420696" | "5424733" | "5426779" | "5448577" | "5455577" | "5455943" | "5459850" | "5463390" | "5465338" | "5467087" | "5471206" | "5477264" | "5479638" | "5485526" | "5504842" | "5506580" | "5510840" | "5526363" | "5532693" | "5532694" | "5548742" | "5553261" | "5559978" | "5563595" | "5568423" | "5572206" | "5577248" | "5584008" | "5606428" | "5608396" | "5621403" | "5627995" | "5640529" | "5696912" | "5729228" | "5798718" | "5812817" | "5828877" | "5836003" | "5838334" | "5874908" | "5877711" | "5883588" | "5933104" | "5936560" | "5945933" | "5956372" | "5973630" | "6002411" | "6008743" | "6145069" | "6170047" | "6173381" | "6208273" | "6304197" | "6523102").PN. OR ("6819271").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 15:44
L16	40	("5412429").URPN.	USPAT	OR	ON	2005/08/24 16:31
L17	1	(US-5627534-$).did.	USPAT	OR	ON	2005/08/24 16:31
L18	1	17 and token	USPAT	OR	ON	2005/08/24 16:32
L19	0	18 and stack	USPAT	OR	ON	2005/08/24 16:32
L20	0	18 and dictionary	USPAT	OR	ON	2005/08/24 16:32

L21	32	("3656178" | "3675211" | "3694813" | "3701108" | "3717851" | "4021782" | "4412306" | "4464650" | "4491934" | "4558302" | "4612532" | "4730348" | "4814746" | "4853696" | "4876541" | "4906991" | "5146857" | "5247357" | "5267334" | "5466918"). PN. OR ("5710719").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 17:35
S1	7661	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress$3 streamlin$3 split$4 pars$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:45
S2	435	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress$3 streamlin$3 split$4 pars$3) with (message command packet cell)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:51
S3	12	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress$3 streamlin$3 split$4 pars$3) with (message command packet cell) same (bandwidth speed transfer) with (optim$7 sav$3 reduc$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:47
S4	140	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress$3 streamlin$3 split$4 pars$3) with (message command packet cell) and (bandwidth speed transfer) with (optim$7 sav$3 reduc$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:48

S5	3350	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (message command packet cell) same (argument value variable parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:52
S6	1528	S5 and @ad<"19980814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:52
S7	86	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same ((message command packet cell) with (compress$3 pars$3 split$4)) same (argument value variable parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:54
S8	7	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same ((message command packet cell) with (compress$3 pars$3 split$4)) same (argument value variable parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:54
S9	319	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (message command packet cell) same (argument value variable parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:54
S10	339	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw "graphic device interface") same (message command packet cell) same (argument value variable parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:59

S11	13	S10 and (bandwidth) with (optim$7 reduc$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:56
S12	193	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw "graphic device interface") and (message command packet cell) same (argument value variable parameter) and (adapt$3 learn$3) with (compress$3 encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:06
S13	179	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw "graphic device interface") and (message command packet cell) same (argument value variable parameter) and "382"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:06
S14	5	"762917".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:06
S15	1	"00"$"110305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:07
S16	3	"60096620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:08
S17	0	"60/096620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:08
S18	8	"096620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:08

S19	0	pct/us99/1761.ptan.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:09
S20	0	pct/us99/17611.ptan.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:09
S21	0	pct/us99/17611.pct.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:09
S22	0	us99/17611.pct.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S23	290	"20000224".ptpd.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S24	0	S23 and message adj stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S25	12	S23 and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S26	0	"20000224".ptpd.	DERWENT	OR	ON	2005/08/23 19:11
S27	0	"20000224".ptpd.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:11
S28	2	collins-henry$.in. and citrix$.as.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:11
S29	2	collins-henry$.in. and citrix$.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:11

S30	7	collins-h$.in. and citrix$.as.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	pct/us99/17611	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:49
S2	0	us99 adj "17611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:49
S3	0	us99 and "17611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:50
S4	2126152	WO 00/10305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:50
S5	0	00/10305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:50
S6	11	"10305"	EPO; JPO; DERWENT	OR	ON	2005/07/03 23:51
S7	2	algorithmic adj information	EPO; JPO; DERWENT	OR	ON	2005/07/03 23:52
S8	1	(WO-200010305-$).did.	DERWENT	OR	ON	2005/07/03 23:51
S9	1	S8 and parameter adj information	EPO; JPO; DERWENT	OR	ON	2005/07/04 00:15
S10	28	(adapt$3 learn$3) with header with compress$3	EPO; JPO; DERWENT	OR	ON	2005/07/04 00:15
S11	360	(adapt$3 learn$3) with header with compress$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:35

S12	29	S11 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:16
S13	21	S11 and stack and stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:16
S14	439	(adapt$3 learn$3) with (message packet) with compress$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:35
S15	85	S14 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:38
S16	235	S14 and stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:41
S17	116	adapt$3 adj compress$3 and dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:50
S18	52	(adapt$3 adj compress$3 and dictionary).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:41
S19	5502	adapt$3 adj compress$3 and (split$4 separat$3 substream$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:47

S20	35	adapt$3 adj compress$3 and (split$4 separat$3 substream$3) with (message packet)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:47
S21	30	("4058672" | "4464650" | "4814746" | "4872009" | "5258983" | "5293379" | "5307413").PN. OR ("5521940").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/07/04 00:50
S22	71	adapt$3 adj compress$3 and dictionary and stream	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:51
S23	51	adapt$3 adj compress$3 and dictionary and stream and uncompress$4	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:57
S24	6	adapt$3 adj compress$3 and dictionary and stream and uncompressible	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:59
S25	1	adapt$3 adj compress$3 and dictionary and output adj stream with (compress$4) with (uncompress$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:01
S26	172	(rle run adj length huffman) with (packet)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:46
S27	113	(rle run$1length huffman) with (packet)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:24
S28	5	header adj compression same (dictionary)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:25

S29	35	header with compression same (dictionary)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:28
S30	0	rfc adj "2118"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:29
S31	1	rfc$1"2118"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:35
S32	2	citrix-systems$.as. and collins-henry$.in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:36
S33	2	citrix$.as. and collins-henry$.in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:36
S34	7	citrix$.as. and collins-h$.in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:38
S35	2	"5745703".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:38
S36	5	lempel$1ziv same (packet message) same (split$4 segment$3 portion$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:39

S37	2	lempel$1ziv same (packet message) with (split$4 segment$3 portion$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:39
S38	166	lempel$1ziv with dictionary	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:42
S39	57	lempel$1ziv with dictionary and (packet message) with compress$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:43
S40	27	S39 and (uncompress$4 noncompress$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:03
S41	178	(split$4 segment$3 separat$3) with (run adj length) and (compress$4) same (un$1compress$4 non$1compress$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:04
S42	602	region with (run adj length)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:05
S43	3	region with (run adj length) same (compress$4) same (un$1compress$4 non$1compress$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:05
S44	7	region same (run adj length) same (compress$4) same (un$1compress$4 non$1compress$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:05

S45	1	region adj type same (run adj length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 07:36
S46	26	(pixel rectangle glyph) with (lempel$1ziv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 07:37
S47	3	(pixel rectangle glyph) with (lempel$1ziv) and (dictionary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 07:37